

**BERKELEY ADVANCED BIOMATERIALS, INC.**

1933 Davis Street, Suite 307, San Leandro, CA 94577, USA  
Tel: (510) 883 1644; Fax: (510) 883 1315  
Email: info@hydroxyapatite.com  
http://www.hydroxyapatite.com



K030266

FEB 20 2003

ISO9001:94/EN4600

**510(K) Summary**

In accordance with the Food and Drug Administration Rule to implement provisions of the Safe Medical Devices Act of 1990 and in conformance with 21 CFR 807, this information serves as a Summary of Safety and Effectiveness for the use of the Cem-Ostetic™ Bone Void Filler.

Submitted By:	Berkeley Advanced Biomaterials, Inc.
Date:	15 January 2003
Contact Person:	François Génin, Ph.D.
Position:	President and CEO
Contact Information	Phone: 510-883-1644; Fax: 510-883-1315
Proprietary Name:	Cem-Ostetic™
Common Name:	Bone Void Filler (Granules and Blocks)
Classification Name and Reference	Unclassified
Device Product Code and Panel Code	Orthopedics/87/MQV

**DEVICE INFORMATION**

**A. INTENDED USES/INDICATIONS**

Cem-Ostetic™ is an osteoconductive bone substitute formulated as cancellous, cortical or cortico-cancellous granules, blocks as well as injectable putty that are intended to be used to fill voids and gaps that are not intrinsic to the stability of the bone structure. These gaps or voids may be located in the extremities, spine, pelvis, or cranium.

The granules or blocks may be pressed into the void or into the surgical site by hand. The putty may be shaped and pressed into the void by hand or inserted into a syringe and injected into the surgical site. Cem-Ostetic™ provides a void filler that can augment hardware to support bone fragments during the surgical procedure and acts as a temporary support medium. This void filler is not yet intended to provide structural support during the healing process. The implant is radio-opaque. Cem-Ostetic™ is biocompatible and resorbs in the body as bone ingrowth occurs.

**B. DEVICE DESCRIPTION**

Cem-Ostetic™ consists of a pre-shaped ready-for-use formulation of cancellous, cortical or cortico-cancellous blocks or granules. The granules or blocks are supplied sterile for single patient use only.

**C. SUBSTANTIAL EQUIVALENCE INFORMATION**

Cem-Ostetic™ granules and blocks are substantially equivalent to the legally marketed, predicate device Cem-Ostetic™ putty. The products have identical indications-for-use and identical contraindications. They also have the same warnings, precautions and potential adverse events. The technical characteristics of Cem-Ostetic™ are very similar to that of the predicate device. The safety and effectiveness of Cem-Ostetic™ granules and blocks are adequately supported by the substantial equivalence information, materials data, and test results provided in the document submitted within the scope of this Premarket Notification.



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

FEB 20 2003

François Génin, Ph.D.  
President and CEO  
Berkeley Advanced Biomaterials, Inc.  
1933 Davis Street, Suite 307  
San Leandro, California 94577

Re: K030266

Trade/Device Name: Cem-Ostetic™  
Regulatory Class: Unclassified  
Product Code: MQV  
Dated: January 21, 2003  
Received: January 27, 2003

Dear Dr. Génin:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4660. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97) you may obtain. Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

for Celia M. Witten, Ph.D., M.D.  
Director

Division of General, Restorative  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510(k) Number (if known):

K030266

Device Name: **Cem-Ostetic™ bone void filler**

Indications for Use:


Cem-Ostetic™ is an osteoconductive bone substitute formulated as cancellous, cortical or cortico-cancellous granules, blocks as well as injectable putty that are intended to be used to fill voids and gaps that are not intrinsic to the stability of the bone structure. These gaps or voids may be located in the extremities, spine, pelvis, or cranium.

The granules or blocks may be pressed into the void or into the surgical site by hand. The putty may be shaped and pressed into the void by hand or inserted into a syringe and injected into the surgical site. Cem-Ostetic™ provides a void filler that can augment hardware to support bone fragments during the surgical procedure and acts as a temporary support medium. This void filler is not yet intended to provide structural support during the healing process. The implant is radio-opaque. Cem-Ostetic™ is biocompatible and resorbs in the body as bone ingrowth occurs.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General Restorative  
and Neurological Devices

510(k) Number

K030266